

Fax: 684-7764

BOROUGH OF COLUMBIA
P.O. Box 509
308 Locust Street
Columbia, PA 17512

Phone: 684-2467

Name of Establishment:

Galen U.C.C.

Address:

324 Walnut St.

Date:

12-1-11

Owner/Agent:

Time:

1005

PUBLIC EATING AND DRINKING PLACE
INSPECTION CHECKLIST

This checklist is provided to assist you with meeting the requirements for the issue of a Public Eating & Drinking Place License, as required by the Act of 1945, P.L. 926, No. 369.

A. Licenses

- ☒ 1. Sales Tax & Use Tax License Prominently Displayed *
- ☒ 2. Columbia Board of Health License Prominently Displayed

B. Employees

- ☒ 1. No Food Handlers Carry Active Communicable Disease Status (e.g. STD, Hepatitis B/C, TB, Any Open External Lesion)
- ☒ 2. Food Handlers Wear Caps or Hair nets, Gloves
- ☒ 3. Employees Educated in Sanitizing Procedures
- ☒ 4. Workers Have Access to a Storage Facility for Personal Items

C. Kitchen

- ☒ 1. Clean
- ☒ 2. Sanitary
- ☒ 3. No Pets, No Sleeping Quarters
- ☒ 4. No Smoking
- ☒ 5. Oil-, Grease-laden towels in Appropriate, Covered Container
- ☒ 6. Eating/Drinking/Preparation Implements Protected From Dust, Insects
- ☒ 7. Meat Preparation - Impervious Surface, Cleansed Before Next Food Use
- ☒ 8. Dishwashing Following Each Meal
- ☒ 9. NFPA Exhaust Hood Automatic-Fire Suppression System Over All Cooking Equipment Capable of Producing Grease-Laden Vapors; Venting to Outside
- ☒ 10. NFPA & NSF Exhaust Hood & Filters Cleaned Weekly
- ☒ 11. Grease Interceptor Inspected Weekly, Cleaned Monthly or Sooner if Needed. Written Record of Inspection & Cleaning.
- ☒ 12. Sump Pump, if any, Inspected Weekly & Maintained in Good Condition
- ☒ 13. NSF-Approved Cold Storage Units With Thermometers, Defrosted as Needed to Maintain Efficiency
- ☒ 14. Nonfrozen Food in Cold Storage Units at or below 41°F, thermometer visible
- ☒ 15. Cooked food in hot-holding storage/serving units at or above 135°F
- ☒ 16. NSF-Approved or BIA-Approved Cooking Equipment
- ☒ 17. Dry & Wet Container Storage Off Floor Surface
- ☒ 18. Nonporous Food Preparation Areas in Good Condition
- ☒ 19. Nonporous Floor Surface - All Areas - in Good Condition
- ☒ 20. Sink Capable of Pot & Pan Cleansing, With Hot Water
- ☒ 21. 10 Footcandle Minimum Lighting Level
- ☒ 22. Ground Fault Circuit Interrupter (GFCI) Receptacles When Near Water
- ☒ 23. Utensil Storage Prevents Dust & Contamination, Ease of Access to Handles

